



Township of Wellington North

**Schedule 'B' Class Environmental Assessment
Arthur Water System Supply Redundancy and Storage**

PUBLIC INFORMATION CENTRE

COMMENT SHEET

The Township of Wellington North would like to know your comments on the project and the Preliminary Preferred Alternatives. Consultation is a key element in the planning process.

NAME: _____

ADDRESS: _____

PHONE#: _____

EMAIL: _____

Please provide us with your comments regarding the study by December 20, 2024.

Comments can be emailed to one of the following Project team members or submitted in person to the Township office at 7490 Sideroad 7W, Kenilworth, Ontario, N0G 2E0.

Corey Schmidt, Manager, Environmental and Development Services
Township of Wellington North
cschmidt@wellington-north.com

Lindsay Scott, P.Eng., Consultant Project Manager
Triton Engineering Services Limited
lscott@tritoneng.on.ca

Turn page for additional space for comments.



Thank you for your input!

Comments submitted to the Project Team for the purpose of providing feedback regarding this Municipal Class Environmental Assessment are collected under the authority of the Environmental Assessment Act. Information will be collected in accordance with the Freedom of Information and Protection of Privacy Act. With the exception of personal information, all comments will become part of the public record. Questions relating to the collection, use and disclosure of this information may be addressed to the Township contact listed above.